MATERIAL SAFETY DATA SHEET

SRM Supplier: National Institute of Standards and Technology

Standard Reference Materials Program

Bldg. 202 Rm. 211

Gaithersburg, Maryland 20899

SRM Number: 4251C MSDS Number: 4251C

SRM Name: Barium-133 Radioactivity

Standard

Date of Issue: 9 February 2000

MSDS Coordinator: Joylene W.L. Thomas FAX: (301) 926-4751

Phone: (301) 975-6776 ChemTrec: 1-800-424-9300 e-mail: SRMMSDS@nist.gov

SECTION I. MATERIAL IDENTIFICATION

Material Name: Barium-133 Radioactivity Standard

Description: SRM 4251C consists of radioactive barium-133 chloride, non-radioactive barium chloride, and hydrochloric acid dissolved in 5 mL of distilled water. The resulting solution is 4 % hydrochloric acid.

Other Designations: Barium in Hydrochloric Acid (aqueous hydrochloric acid; hydrogen chloride; muriatic acid)

NameChemical FormulaCAS Registry NumberHydrochloric AcidHCl7647-01-0

DOT Classification: Hydrochloric Acid, UN1789

Manufacturer/Supplier: Available from a number of suppliers

SRM 4251C is a radioactive material with a massic activity of approximately 500 kBq g⁻¹. The hazard information supplied in this MSDS is for the Chemical Hazard Only! For the hazard documentation concerning the radioactive material, refer to the SRM certificate.

SECTION II. HAZARDOUS INGREDIENTS

Hazardous Components	Nominal Concentration (%)	Exposure Limits and Toxicity Data	
Hydrochloric Acid	4	ACGIH TLV-TWA: 5 mg/kg or 7.6 mg/m ³	
		OSHA Standard Air Ceiling: 5 mg/kg or 7.6 mg/m ³	
		Human, Inhalation: LC _{LO} : 1 300 mg/kg/30 min	
		Human, Inhalation: LC _{LO} : 3 000 mg/kg/5 min	
		Mouse, Intraperitoneal: LD ₅₀ : 40 142 μg/kg	

NOTE: This material contains barium at a nominal concentration of 0.008 %, which is below the reportable limit (0.1% for carcinogens, 1% for all other health hazards) required by OSHA according to 29 CFR 1910.1200(g)(2)(i)(C)(1).

MSDS 4251C Page 1 of 4

SECTION III. PHYSICAL/CHEMICAL CHARACTERISTICS

	Relative Molecular M					
	Density: 1.02 (4 % hy					
	Solubility in Water: Soluble					
	Solvent Solubility: Soluble in alcohol and benzene					
SECTION IV. FIRE AND E	XPLOSION HAZARD DATA					
Flash Point: Not a	pplicable Method	d Used: Not a	pplicable	Autoignition Temp	perature: Not applicable	
Flammability Limit	s in Air (Volume %):	UPPER: LOWER:	Not applicable Not applicable			
Unusual Fire and Explosion Hazards: Hydrochloric acid is a negligible fire hazard when exposed to heat and/or flames. Hydrochloric acid may react with the evolution of heat on contact with water; the acid may release toxic, corrosive, flammable, or explosive gases.						
Extinguishing Med	ia: Use regular dry chem	ical, carbon dio	xide, water, or regu	ular foam.		
Special Fire Procedures: Firefighters should wear a self-contained breathing apparatus (SCBA) with a full face piece in the pressure demand or positive mode and other protective clothing.						
SECTION V. REACTIVITY	D ATA					
Stability:	X Stable	Unst	able			
Conditions to Avoid materials.	: Avoid heat, moisture, and	d combustible m	aterials. This mater	rial may ignite or explor	de on contact with combustible	
Incompatibility (Materials to Avoid): Hydrochloric acid is incompatible with cyanides, metals, amines, bases, metal cyanides, oxidizing materials, acids, halo carbons, combustible materials, halogens, and metal salts.						
See Section IV: Ur	nusual Fire and Explosion	n Hazards				
Hazardous Decom	position or Byproducts:	Thermal decom	nposition of hydroc	chloric acid may releas	se acid halides.	
Hazardous Polyme	rization:	Will O	ccur	_X	Will Not Occur	
SECTION VI. HEALTH HA	AZARD DATA					
Route of Entry:	X Inhalation		K Skin	X Ingest	tion	

Hydrochloric Acid

Appearance and Odor: A colorless liquid; pungent, irritating odor

MSDS 4251C Page 2 of 4

Health Hazards (Acute and Chronic): Hydrochloric Acid: Hydrochloric acid may be fatal if inhaled, swallowed, or absorbed through

the skin. This material causes burns and is extremely destructive to the tissue of the mucous membranes and upper respiratory tract, eyes, and skin. Inhalation may be fatal as a result of spasm, inflammation, and edema of the larynx and bronchi, chemical pneumonitis, and pulmonary edema. Symptoms of exposure may include burning sensation, coughing, wheezing, laryngitis, shortness of breath, headache, nausea, and vomiting. Hydrochloric acid also causes severe burns.

Medical Conditions Generally Aggravated by Exposure: Pre-existing skin conditions may be aggravated by the acid.

Listed as a Carcinogen/Potential Carcinogen (Hydrochloric Acid):

	Yes	No
In the National Toxicology Program (NTP) Report on Carcinogens		X
In the International Agency for Research on Cancer (IARC) Monographs		X
By the Occupational Safety and Health Administration (OSHA)		X

EMERGENCY AND FIRST AID PROCEDURES:

Skin Contact: Remove contaminated shoes and clothing. Rinse affected area with large amounts of water followed by washing the area with soap and water. Watch for chemical irritations and treat them accordingly. Obtain medical assistance if necessary.

Eye Contact: Immediately flush eyes, including under the eyelids, with copious amounts of water for at least 15 min. Obtain medical assistance.

Inhalation: If inhaled, move the victim to fresh air. If breathing is difficult, give oxygen; if the victim is not breathing, give artificial respiration. Obtain medical assistance if necessary.

Ingestion: If ingestion occurs, wash out mouth with water. **DO NOT** induce vomiting. Obtain medical assistance immediately.

TARGET ORGAN(S) OF ATTACK: Lungs, upper respiratory tract, skin, and teeth

SECTION VII. PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be Taken in Case Material Is Released or Spilled: Notify safety personnel of spills. Spills should be handled according to radioactive spill procedures.

Waste Disposal: Follow all federal, state, and local laws governing disposal of radioactive materials.

Handling and Storage: Provide general and local explosion proof ventilation systems to maintain airborne concentrations below the TLV. Provide approved respiratory apparatus for non-routine or emergency use. Use an approved filter and vapor respirator when the vapor or mist concentrations are high. Wear gloves and chemical safety glasses where contact with the liquid or high vapor concentrations may occur. An eye wash station and washing facilities should be readily available near handling and use areas. The sample container should be handled by persons qualified to handle both radioactive materials and strong acid solutions.

NOTE: Contact lenses pose a special problem; soft lenses may absorb irritants and all lenses concentrate them. **DO NOT** wear contact lenses in the laboratory.

This material should be stored and used at a temperature between 5 °C and 65 °C.

MSDS 4251C Page 3 of 4

SECTION VIII. SOURCE DATA/OTHER COMMENTS

Sources: MDL Information Systems, Inc., MSDS *Hydrochloric Acid*, June 2, 1999.

Merck Index, 11th Ed., 1989.

The Sigma Aldrich Library of Chemical Safety Data, Ed. II, 1988.

Disclaimer: Physical and chemical data contained in this MSDS are provided only for use in assessing the hazardous nature of the material. The MSDS was prepared carefully, using current references; however, NIST does not certify the data on the MSDS. The certified values for this material are given on the NIST Certificate of Analysis.

MSDS 4251C Page 4 of 4